


# CHILONE



BY  
ERNESTO GISMONDI





### ERNESTO GISMONDI

The father of Artemide, Ernesto Gismondi propelled his involvement in the Memphis Design movement into profoundly revolutionizing the field of lighting design in both Italy and the world.

Born on Christmas Day, Gismondi began his career as an Aeronautical Engineer. Bringing industrial concepts, materials and finishes into lighting designs for both domestic and public space underlines Gismondi's adherence to meaningful innovation.

Recognizing his international contributions to the field of lighting manufacture, he was awarded a Compasso d'Oro lifetime achievement award in 1995.





## VERSATILITY

---

Available in wall, floor, and pole versions, in two finishes (anthracite grey or grey white), Chilone creates an ambient mood for any outdoor environment.



## ACCENT

---

Chilone's minimalistic design and angled architectural form decorates any space with a subtle, yet chic contemporary accent.


# CHILONE wall

**EMISSION**  
direct or indirect

**LIGHT SOURCE**  
LED  
16W 3000K >80 CRI


**DIMMING FEATURE**  
standard non dimmable

## DIMENSIONS



**FINISH**  
■ white RAL9002  
■ anthracite grey

**CERTIFICATIONS**  
c.UL.us listed



# CHILONE floor | pole

## CHILONE UP floor




**EMISSION**  
direct or indirect

**LIGHT SOURCE**  
LED  
8W 3000K >80 CRI

**DIMMING FEATURE**  
standard non dimmable

### DIMENSIONS



**FINISH**  
■ white RAL9002  
■ anthracite grey

**CERTIFICATIONS**  
c.UL.us listed

## CHILONE 45 floor




**EMISSION**  
direct or indirect

**LIGHT SOURCE**  
LED  
8W 3000K >80 CRI

**DIMMING FEATURE**  
standard non dimmable

### DIMENSIONS



**FINISH**  
■ white RAL9002  
■ anthracite grey

**CERTIFICATIONS**  
c.UL.us listed

## CHILONE 90 floor




**EMISSION**  
direct or indirect

**LIGHT SOURCE**  
LED  
8W 3000K >80 CRI

**DIMMING FEATURE**  
standard non dimmable

### DIMENSIONS



**FINISH**  
■ white RAL9002  
■ anthracite grey

**CERTIFICATIONS**  
c.UL.us listed

## CHILONE pole




**EMISSION**  
direct or indirect

**LIGHT SOURCE**  
LED  
16W 3000K >80 CRI

**DIMMING FEATURE**  
standard non dimmable

### DIMENSIONS



**FINISH**  
■ white RAL9002  
■ anthracite grey

**CERTIFICATIONS**  
c.UL.us listed

*For retail sales contact information, please visit*  
[www.artemide.net/store-locator](http://www.artemide.net/store-locator)



*For contract sales contact information, please visit*  
[www.artemide.net/contract-sales](http://www.artemide.net/contract-sales)